



Newell®

**PRODUCT
CATALOGUE**

TABLE OF CONTENTS

Batteries for:

Sony

Canon

Pentax

Nikon

Olympus

Panasonic

Fuji

V - Mount

Others

Vacuum Cleaners

Speakers

Rechargeable batteries

Battery Packs

Canon

Nikon

Sony

Chargers

Xtra Power Sets


LED Lights

Powerbanks and Power Stations

AC Adapteras

Remote Control Series

Modified sine wave inverters



Batteries for
Sony
camera series



model: **NP-F970**

Specifications:

- technology: Li-ion
- capacity: 8600 mAh
- voltage: 7.2 V
- ean: 5901891100822
- sku: NL1192



model: **NP-FH50**

Specifications:

- technology: Li-ion
- capacity: 900 mAh
- voltage: 7.2 V
- ean: 5907489641333
- sku: NLO603



model: **F970 LCD**

Specifications:

- technology: Li-ion
- capacity: 8600 mAh
- voltage: 7.4 V
- ean: 5907489640848
- sku: NL1863



model: **NP-FM500H**

Specifications:

- technology: Li-ion
- capacity: 1650 mAh
- voltage: 7.2 V
- ean: 5907489641340
- sku: NLO605



model: **NP-FW50**

Specifications:


- technology: Li-ion
- capacity: 1080 mAh
- voltage: 7.2 V
- ean: 5907489641326
- sku: NLO600



model: **NP-BG1**

Specifications:


- technology: Li-ion
- capacity: 900 mAh
- voltage: 3.7 V
- ean: 5907489641319
- sku: NLO599



model: **NP-BN1**

Specifications:

- technology: Li-ion
- capacity: 630 mAh
- voltage: 3.6 V
- ean: 5901891100709
- sku: NLO248



model: **NP-BX1**

Specifications:

- technology: Li-ion
- capacity: 1240 mAh
- voltage: 3.6 V
- ean: 5907489641197
- sku: NLO561



model: **NP-F570**

Specifications:

- technology: Li-ion
- capacity: 2600 mAh
- voltage: 7.2 V
- ean: 5901891109528
- sku: NLO676



model: **NP-F770**

Specifications:

- technology: Li-ion
- capacity: 5200 mAh
- voltage: 7.4 V
- ean: 5901891108774
- sku: NL1306



model: **NP-FV70A**

Specifications:

- technology: Li-ion
- capacity: 2100 mAh
- voltage: 7.4 V
- ean: 5907489640633
- sku: NL0407



model: **NP-FZ100**

Specifications:

- technology: Li-ion
- capacity: 2150 mAh
- voltage: 7.2 V
- ean: 5901891108590
- sku: NL1729



model: **NP-FV100A**

Specifications:

- technology: Li-ion
- capacity: 3090 mAh
- voltage: 7.4 V
- ean: 5907489640640
- sku: NL0413



model: **NP-F970 LCD**

Specifications:

- technology: Li-ion
- capacity: 10500 mAh
- voltage: 7.4 V
- ean: 5907489640831
- sku: NL1859



model: **NP-FW50**

Specifications:

- technology: Li-ion
- capacity: 1100 mAh
- voltage: 7.2 V
- ean: 5901891109795
- sku: NL1759



model: **NP-BX1**

Specifications:

- technology: Li-ion
- capacity: 1380 mAh
- voltage: 3.6 V
- ean: 5901891109801
- sku: NL0153



model: **NP-F960**

Specifications:

- technology: Li-ion
- capacity: 10050 mAh
- voltage: 7.2 V
- ean: 5901891109818
- sku: NL1506



model: **NP-FZ100**

Specifications:

- technology: Li-ion
- capacity: 2280 mAh
- voltage: 7.2 V
- ean: 5901891108606
- sku: NL0179



model: **NP-F770 USB-C**

Specifications:

- technology: Li-ion
- capacity: 7000 mAh
- voltage: 7.2 V
- ean: 5907489647427
- sku: NL3394



model: **NP-FW50 USB-C**

Specifications:

- technology: Li-ion
- capacity: 1100 mAh
- voltage: 7.2 V
- ean: 5907489647519
- sku: NL3461



model: **NP-FM500H USB-C**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.2 V
- ean: 5907489647403
- sku: NL3392



model: **NP-FZ100 USB-C**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.2V
- ean: 5907489646888
- sku: NL3261



model: **NP-F570 USB-C**

Specifications:

- technology: Li-ion
- capacity: 3500 mAh
- voltage: 7.2 V
- ean: 5907489647410
- sku: NL3393



model: **NP-FZ100**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.4 V
- ean: 5907489640671
- sku: NL0444

Batteries for Canon camera series



model: **LP-E8**

Specifications:

- technology: Li-ion
- capacity: 1120 mAh
- voltage: 7.2 V
- ean: 5907489641302
- sku: NL0597



model: **LP-E6NH**

Specifications:

- technology: Li-ion
- capacity: 2150 mAh
- voltage: 7.2 V
- ean: 5907489642385
- sku: NL2408



model: **NB-6L**

Specifications:

- technology: Li-ion
- capacity: 1000 mAh
- voltage: 3.7 V
- ean: 5901891100686
- sku: NL1818



model: **NB-13L**

Specifications:

- technology: Li-ion
- capacity: 1250 mAh
- voltage: 3.6 V
- ean: 5901891101621
- sku: NL0320



model: **BP-511**

Specifications:


- technology: Li-ion
- capacity: 1500 mAh
- voltage: 7.4 V
- ean: 5907489641227
- sku: NL0568



model: **BP-820**

Specifications:


- technology: Li-ion
- capacity: 1800 mAh
- voltage: 7.4 V
- ean: 5907489647434
- sku: NL3395



model: **BP-955**

Specifications:

- technology: Li-ion
- capacity: 6900 mAh
- voltage: 7.4 V
- ean: 5907489644976
- sku: NL2968



model: **BP-975**

Specifications:

- technology: Li-ion
- capacity: 11000 mAh
- voltage: 7.4 V
- ean: 5907489644983
- sku: NL2969



model: **LP-E10**

Specifications:


- technology: Li-ion
- capacity: 960 mAh
- voltage: 7.4 V
- ean: 5907489641265
- sku: NL0584



model: **LP-E17**

Specifications:

- technology: Li-ion
- capacity: 950 mAh
- voltage: 7.2 V
- ean: 5907489641623
- sku: NL1007



model: **LP-E12**

Specifications:

- technology: Li-ion
- capacity: 875 mAh
- voltage: 7.2 V
- ean: 5907489641272
- sku: NL0587



model: **LP-E6**

Specifications:

- technology: Li-ion
- capacity: 2000 mAh
- voltage: 7.4 V
- ean: 5907489641296
- sku: NL0592



model: **LP-E5**

Specifications:

- technology: Li-ion
- capacity: 1080 mAh
- voltage: 7.4 V
- ean: 5907489641289
- sku: NL0590



model: **LP-E6N**

Specifications:

- technology: Li-ion
- capacity: 2200 mAh
- voltage: 7.4 V
- ean: 5901891103328
- sku: NL0011



model: **LP-E19**

Specifications:

- technology: Li-ion
- capacity: 3500 mAh
- voltage: 10.8 V
- ean: 5907489644969
- sku: NL2967



model: **LP-E17**

Specifications:

- technology: Li-ion
- capacity: 1100 mAh
- voltage: 7,2 V
- ean: 5907489642040
- sku: NL2485



model: **LP-E6**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.4 V
- ean: 5901891109702
- sku: NL1250



model: **LP-E6N**

Specifications:

- technology: Li-ion
- capacity: 2400 mAh
- voltage: 7.4 V
- ean: 5901891109696
- sku: NL1507



model: **LP-E6NH**

Specifications:

- technology: Li-ion
- capacity: 2250 mAh
- voltage: 7.2 V
- ean: 5907489642378
- sku: NL2407



model: **LP-E6NH USB-C**

Specifications:


- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.2 V
- ean: 5907489646871
- sku: NL3260



model: **LP-E6NH**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.4 V
- ean: 5907489640701
- sku: NL0451



Batteries for
GoPro / Pentax
camera series



model: **AABAT-001**

Specifications:

- technology: Li-ion
- capacity: 1220 mAh
- voltage: 3.85 V
- ean: 5901891103779
- sku: NL1006



model: **AHDBT-301**

Specifications:

- technology: Li-ion
- capacity: 1050 mAh
- voltage: 3.7 V
- ean: 5901891100501
- sku: NL1044



model: **AHDBT-401**

Specifications:

- technology: Li-ion
- capacity: 1160 mAh
- voltage: 3.8 V
- ean: 5901891101461
- sku: NL1694



model: **AHDBT-901a**

Specifications:

- technology: Li-ion
- capacity: 1730 mAh
- voltage: 3.85 V
- ean: 5907489647441
- sku: NL3396



model: **SPJB1B**

Specifications:

- technology: Li-ion
- capacity: 1220 mAh
- voltage: 3.85 V
- ean: 5907489640732
- sku: NL0506



model: **D-Li90**

Specifications:

- technology: Li-ion
- capacity: 1860 mAh
- voltage: 7.4 V
- ean: 5901891108521
- sku: NL1698



model: **D-Li109**

Specifications:

- technology: Li-ion
- capacity: 1050 mAh
- voltage: 7.4 V
- ean: 5901891108538
- sku: NL0777

Batteries for **Nikon** camera series



model: **EN-EL14**

Specifications:

- technology: Li-ion
- capacity: 1150 mAh
- voltage: 7.4V
- ean: 5907489641180
- sku: NL0560



model: **EN-EL14A**

Specifications:

- technology: Li-ion
- capacity: 1050 mAh
- voltage: 7.4 V
- ean: 5901891108781
- sku: NL0741



model: **EN-EL5**

Specifications:

- technology: Li-ion
- capacity: 1100 mAh
- voltage: 3.7 V
- ean: 5901891107760
- sku: NL0630



model: **EN-EL12**

Specifications:

- technology: Li-ion
- capacity: 1050 mAh
- voltage: 3.7 V
- ean: 5901891100655
- sku: NL1651



model: **EN-EL23**

Specifications:

- technology: Li-ion
- capacity: 1850 mAh
- voltage: 3.8 V
- ean: 5901891101652
- sku: NL0210



model: **EN-EL3E**

Specifications:

- technology: Li-ion
- capacity: 1600 mAh
- voltage: 7.4 V
- ean: 5907489641241
- sku: NL0574



model: **EN-EL15**

Specifications:

- technology: Li-ion
- capacity: 1950 mAh
- voltage: 7 V
- ean: 5907489641234
- sku: NL0572



model: **EN-EL15B**

Specifications:


- technology: Li-ion
- capacity: 2000 mAh
- voltage: 7 V
- ean: 5901891109511
- sku: NL0346



model: **EN-EL18**

Specifications:

- technology: Li-ion
- capacity: 2600 mAh
- voltage: 10.8 V
- ean: 5907489641616
- sku: NL1002



model: **EN-EL20**

Specifications:

- technology: Li-ion
- capacity: 1020mAh
- voltage: 7.4 V
- ean: 5907489640015
- sku: NL2030



model: **EN-EL9**

Specifications:

- technology: Li-ion
- capacity: 1300 mAh
- voltage: 7.4 V
- ean: 5907489641258
- sku: NL0575



model: **EN-EL18d**

Specifications:

- technology: Li-ion
- capacity: 3350 mAh
- voltage: 10.8 V
- ean: 5907489646581
- sku: NL3180



model: **EN-EL25**

Specifications:

- technology: Li-ion
- capacity: 1280 mAh
- voltage: 7.6 V
- ean: 5907489644853
- sku: NL2959



model: **EN-EL15**

Specifications:

- technology: Li-ion
- capacity: 2200 mAh
- voltage: 7 V
- ean: 5901891109764
- sku: NL0956



model: **EN-EL23**

Specifications:

- technology: Li-ion
- capacity: 1900 mAh
- voltage: 3.8 V
- ean: 5901891109849
- sku: NL0963



model: **EN-EL15C USB-C**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.2 V
- ean: 5907489646895
- sku: NL3262



model: **EN-EL3E USB-C**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.4 V
- ean: 5907489647373
- sku: NL3389



model: **EN-EL15C**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.4 V
- ean: 5907489640688
- sku: NL0446

Newell® Rechargeable

Newell batteries use lithium-ion technology.
Recharging at any time without "memory effect".

IC SYSTEM
BUILT-IN INTELLIGENT
SECURITY SYSTEM

**OVER
CHARGE**
PROTECTION

**SHORT
CIRCUIT**
PROTECTION

LI-ION
TECHNOLOGY





Batteries for
Olympus
camera series



model: **BLH-1**

Specifications:

- technology: Li-ion
- capacity: 2000 mAh
- voltage: 7.4 V
- ean: 5907489640046
- sku: NL2028



model: **BLS-5**

Specifications:

- technology: Li-ion
- capacity: 1620 mAh
- voltage: 7.2 V
- ean: 5901891100617
- sku: NL1102



model: **BLH-1**

Specifications:

- technology: Li-ion
- capacity: 1720 mAh
- voltage: 7.4V
- ean: 5907489640008
- sku: NL2029



model: **BLN-1**

Specifications:

- technology Li-ion
- capacity: 1220 mAh
- voltage: 7.6 V
- ean: 5907489641210
- sku: NL0565



model: **Li-42B**

Specifications:

- technology Li-ion
- capacity: 740 mAh
- voltage: 3.7 V
- ean: 5907489641203
- sku: NL0562



model: **Li-50B**

Specifications:

- technology: Li-ion
- capacity: 925 mAh
- voltage: 3.7 V
- ean: 5901891100662
- sku: NL1502



model: **LI-90B**

Specifications:

- technology: Li-ion
- capacity: 1090 mAh
- voltage: 3.6 V
- ean: 5907489640022
- sku: NL2031



model: **BLX-1**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.2 V
- ean: 5907489646734
- sku: NL3238



model: **BLX-1 USB-C**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.2 V
- ean: 5907489647397
- sku: NL3391

Batteries for Fuji camera series



model: **NP-W235**

Specifications:

- technology: Li-ion
- capacity: 2100 mAh
- voltage: 7.2 V
- ean: 5907489640916
- sku: NL2319



model: **NP-95**

Specifications:


- technology: Li-ion
- capacity: 1800 mAh
- voltage: 3.7 V
- ean: 5901891100693
- sku: NL0114



model: **NP-W126**

Specifications:

- technology: Li-ion
- capacity: 1200 mAh
- voltage: 7.2 V
- ean: 5901891100716
- sku: NL1029



model: **NP-T125**

Specifications:

- technology: Li-ion
- capacity: 1300 mAh
- voltage: 10.8 V
- ean: 5907489640428
- sku: NL2190



model: **NP-W126**

Specifications:

- technology: Li-ion
- capacity: 1300 mAh
- voltage: 7.2 V
- ean: 5901891109832
- sku: NL1077



model: **NP-W235**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.2 V
- ean: 5907489640909
- sku: NL2318




model: **NP-W235 USB-C**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7,2 V
- ean: 5907489647380
- sku: NL3390


Batteries for Panasonic camera series



model: **DMW-BCM13E**

Specifications:

- technology: Li-ion
- capacity: 1250 mAh
- voltage: 3.6 V
- ean: 5901891100785
- sku: NL0623



model: **DMW-BLC12**

Specifications:

- technology: Li-ion
- capacity: 1200mAh
- voltage: 7.2 V
- ean: 5901891100648
- sku: NL0334



model: **CGA-S006E**

Specifications:


- technology: Li-ion
- capacity: 800 mAh
- voltage: 7.4 V
- ean: 5901891102239
- sku: NL1322



model: **DMW-BLG10**

Specifications:

- technology: Li-ion
- capacity: 1250 mAh
- voltage: 7.2 V
- ean: 5901891107753
- sku: NL0140



model: **DMW-BMB9E**

Specifications:

- technology: Li-ion
- capacity: 890 mAh
- voltage: 7.2 V
- ean: 5907489640268
- sku: NL2122



model: **DMW-BLF19E**

Specifications:

- technology: Li-ion
- capacity: 1860 mAh
- voltage: 7.2 V
- ean: 5901891101669
- sku: NL1380



model: **DMW-BLJ31**

Specifications:

- technology: Li-ion
- capacity: 3500 mAh
- voltage: 7.4 V
- ean: 5907489640343
- sku: NL2146



model: **DMW-BLK22**

Specifications:

- technology: Li-ion
- capacity: 2250 mAh
- voltage: 7.2 V
- ean: 5907489642057
- sku: NL2486



model: **VW-VBT380**

Specifications:

- technology: Li-ion
- capacity: 3900 mAh
- voltage: 3.6 V
- ean: 5901891103373
- sku: NL1540



model: **DMW-BLK22**

Specifications:

- technology: Li-ion
- capacity: 2300 mAh
- voltage: 7.4 V
- ean: 5907489640695
- sku: NL0450



Batteries for
V-Mount
camera series



model: **BP-150WS**

Specifications:

- technology: Li-ion
- capacity: 10400 mAh
- voltage: 14.8 V
- ean: 5907489640121
- sku: NL2072



model: **BP-190**

Specifications:

- technology: Li-ion
- capacity: 13200 mAh
- voltage: 14.8 V
- ean: 5901891108989
- sku: NL1361



model: **BP-95W**

Specifications:

- technology: Li-ion
- capacity: 6600 mAh
- voltage: 14.8 V
- ean: 5907489640138
- sku: NL2073



model: **BP-V142 SLIM**

Specifications:

- technology: Li-ion
- capacity: 9600 mAh
- voltage: 14.8 V
- ean: 5907489642880
- sku: NL1716



model: **BP-V190 SLIM**

Specifications:

- technology: Li-ion
- capacity: 12800 mAh
- voltage: 14.8 V
- ean: 5907489642897
- sku: NL1725



model: **BP-V47 SLIM**

Specifications:

- technology: Li-ion
- capacity: 3200 mAh
- voltage: 14.8 V
- ean: 5907489642866
- sku: NL1701



model: **BP-V95 SLIM**

Specifications:

- technology: Li-ion
- capacity: 6400 mAh
- voltage: 14.8 V
- ean: 5907489642873
- sku: NL1711



model: **VLB-290W TES**

Specifications:

- technology: Li-ion
- capacity: 20000 mAh
- voltage: 14.8 V
- ean: 5907489642859
- sku: NL1690



model: **VLB-220W TES**

Specifications:

- technology: Li-ion
- capacity: 15000 mAh
- voltage: 14.8 V
- ean: 5907489642842
- sku: NL1687

Batteries for Others



model: **AZ13-2**

Specifications:


- technology: Li-ion
- capacity: 1020 mAh
- voltage: 3.7 V
- ean: 5901891108514
- sku: NL1509



model: **AZ16-1**

Specifications:

- technology: Li-ion
- capacity: 1400 mAh
- voltage: 3.85 V
- ean: 5901891103809
- sku: NL0881



model: **SJ4000 / SJ5000**

Specifications:

- technology: Li-ion
- capacity: 900 mAh
- voltage: 3.7 V
- ean: 5901891101676
- sku: NL0287





model: **AB1**

Specifications:

- technology: Li-ion
- capacity: 1300 mAh
- voltage: 3,85 V
- ean: 5907489640350
- sku: NL2147

Batteries for Vacuum Cleaners



model: **DSV6B**

Specifications:

- technology: Li-ion
- capacity: 2600 mAh
- voltage: 21.6 V
- ean: 5907489640855
- sku: NL1864



model: **DSV7B**

Specifications:

- technology: Li-ion
- capacity: 2500 mAh
- voltage: 21,6 V
- ean: 5907489642392
- sku: NL2409



model: **DSV8B**

Specifications:

- technology: Li-ion
- capacity: 3000 mAh
- voltage: 21.6 V
- ean: 5907489642408
- sku: NL2410



model: **DSV10B**

Specifications:

- technology: Li-ion
- capacity: 2500 mAh
- voltage: 25.2 V
- ean: 5907489642415
- sku: NL2411



model: **DSV11B**

Specifications:


- technology: Li-ion
- capacity: 4000 mAh
- voltage: 25.2 V
- ean: 5907489643801
- sku: NL2704



model: **ABL-C**

Specifications:

- technology: Li-ion
- capacity: 2000 mAh
- voltage: 10.8 V
- ean: 5907489646321
- sku: NL3044



model: **4ICR19/65, INR18650-M26-4S1P, PX-B020**

Specifications:

- technology: Li-ion
- capacity: 2600 mAh
- voltage: 14.8 V
- ean: 5907489646789
- sku: NL3251



model: **4624864, ABL-D1, ABL-D2**

Specifications:


- technology: Li-ion
- capacity: 5200 mAh
- voltage: 14.4 V
- ean: 5907489646819
- sku: NL3254



model: **4624864, ABL-D1, ABL-D2**

Specifications:

- technology: Li-ion
- capacity: 6800 mAh
- voltage: 14.4 V
- ean: 5907489646826
- sku: NL3255



model: **11702, GD-Romba-500, VAC-500NMH-33**

Specifications:

- technology: Ni-MH
- capacity: 4000 mAh
- voltage: 14.4 V
- ean: 5907489646802
- sku: NL3253



model: **2130LI, 4374392, 4376392, 4462425, 4502233**

Specifications:

- technology: Li-ion
- capacity: 5200 mAh
- voltage: 14.4 V
- ean: 5907489646833
- sku: NL3256



model: **11700, 11373**

Specifications:

- technology: Ni-MH
- capacity: 3000 mAh
- voltage: 14.4 V
- ean: 5907489646796
- sku: NL3252



model: **MIS56T6VX**

Specifications:

- technology: Li-ion
- capacity: 5200mAh
- voltage: 14.4 V
- ean: 5907489646840
- sku: NL3257



model: **IRB5678VX**

Specifications:

- technology: Li-ion
- capacity: 4400 mAh
- voltage: 14.4 V
- ean: 5907489646857
- sku: NL3258

Batteries for Speakers



model: **9-885-197-08,
SF-02**

Specifications:

- technology: Li-ion
- capacity: 2400 mAh
- voltage: 3.7 V
- ean: 5907489647052
- sku: NL3328



model: **C129D3**

Specifications:

- technology: Li-ion
- capacity: 3400 mAh
- voltage: 7.4 V
- ean: 5907489646994
- sku: NL3322



model: **C196A1,
7252-XML-SP,
TF18650-3200-4S2PA**

Specifications:

- technology: Li-ion
- capacity: 6400 mAh
- voltage: 7.4 V
- ean: 5907489647038
- sku: NL3326



model: **CP-HK06,
GSP1029102 01**

Specifications:

- technology: Li-ion
- capacity: 3000 mAh
- voltage: 7.4 V
- ean: 5907489647137
- sku: NL3336



model: **GO2/MLP284154,
MLP284154**

Specifications:


- technology: Li-Polymer
- capacity: 730 mAh
- voltage: 3.7 V
- ean: 5907489647120
- sku: NL3335



model: **ICR22650**

Specifications:

- technology: Li-ion
- capacity: 3000 mAh
- voltage: 3.7 V
- ean: 5907489647144
- sku: NL3337



model: **J272/
ICP092941SH**

Specifications:

- technology: Li-ion
- capacity: 750 mAh
- voltage: 7.4 V
- ean: 5907489647007
- sku: NL3323



model:
MY-JMF310SL

Specifications:

- technology: Li-ion
- capacity: 3000 mAh
- voltage: 3.7 V
- ean: 5907489646529
- sku: NL3174



model: **MY-JML310SL**

Specifications:


- technology: Li-ion
- capacity: 6000 mAh
- voltage: 3.7 V
- ean: 5907489646550
- sku: NL3177



model: **MY-JML320SL**

Specifications:


- technology: Li-ion
- capacity: 6000 mAh
- voltage: 3.7 V
- ean: 5907489646543
- sku: NL3176



model: **MY-JML330SL**

Specifications:

- technology: Li-ion
- capacity: 6000 mAh
- voltage: 3.7 V
- ean: 5907489646567
- sku: NL3178



model: **MY-JMX100SL**

Specifications:

- technology: Li-ion
- capacity: 5000 mAh
- voltage: 7.4 V
- ean: 5907489646536
- sku: NL3175



model: **TF18650-2200-
1S3PA**

Specifications:

- technology: Li-ion
- capacity: 3400 mAh
- voltage: 11.1 V
- ean: 5907489647045
- sku: NL3327



model: **00798-601-8207**

Specifications:

- technology: Li-ion
- capacity: 3400 mAh
- voltage: 3.7 V
- ean: 5907489647021
- sku: NL3325



model: **077171**

Specifications:

- technology: Li-ion
- capacity: 3400 mAh
- voltage: 3.7 V
- ean: 5907489647090
- sku: NL3332



model: **088772, 088789,
088796**

Specifications:

- technology: Li-ion
- capacity: 3400 mAh
- voltage: 7.4 V
- ean: 5907489647083
- sku: NL3331



model: **533-000104,**
F12431581

Specifications:

- technology: Li-ion
- capacity: 3400 mAh
- voltage: 3.7 V
- ean: 5907489647014
- sku: NL3324



model:
745531-0010

Specifications:

- technology: Li-ion
- capacity: 2600 mAh
- voltage: 7.4 V
- ean: 5907489647076
- sku: NL3330



model: **EAC63558701**

Specifications:

- technology: Li-Polymer
- capacity: 1500 mAh
- voltage: 3.7 V
- ean: 5907489647106
- sku: NL3333



model: **EAC63558705**

Specifications:

- technology: Li-Polymer
- capacity: 3700 mAh
- voltage: 3.8 V
- ean: 5907489647113
- sku: NL3334



model: **ST-01**

Specifications:

- technology: Li-ion
- capacity: 2600 mAh
- voltage: 7.4 V
- ean: 5907489647069
- sku: NL3329

Batteries for Rechargeable batteries



model: **18650 USB-C**

Specifications:

- technology: Li-ion
- capacity: 2200 mAh
- voltage: 3.7 V
- ean: 5907489647564
- sku: NL3472



model: **9 V USB-C**

Specifications:

- technology: Li-ion
- capacity: 500 mAh
- voltage: 9 V
- ean: 5907489647557
- sku: NL3465



model: **AA USB-C
1550 mAh 2 szt. blister**

Specifications:

- technology: Li-ion
- capacity: 1550mAh
- voltage: 1.5 V
- ean: 5907489647533
- sku: NL3463



model: **AAA USB-C
2 szt. blister**

Specifications:

- technology: Li-ion
- capacity: 500 mAh
- voltage: 1.5 V
- ean: 5907489647540
- sku: NL3464



model: **NiMH AA
2500 mAh 4 szt. blister**

Specifications:

- technology: Ni-MH
- capacity: 2500 mAh
- voltage: 1.2 V
- ean: 5901891102796
- sku: NL1966



model: **NiMH AAA
950 mAh 4 szt. blister**

Specifications:

- technology: Ni-MH
- capacity: 950 mAh
- voltage: 1.2 V
- ean: 5907489644952
- sku: NL2966

Battery Pack for **Canon** camera series



model: **BG-E14**

Specifications:

- dimensions: 14.5 x 11 x 8.5 cm
- weight: 273 g (without batteries)
- ean: 5907489641388
- sku: NL0647



model: **BG-E16**

Specifications:

- dimensions: 15.3 x 11.4 x 8.7 cm
- weight: 303 g (without batteries)
- ean: 5901891101508
- sku: NL0042



model: **BG-E22**

Specifications:

- dimensions: 14.2 x 8.3 x 5.2 cm
- weight: 281 g (without batteries)
- ean: 5907489642309
- sku: NL2384



model: **BG-E8**

Specifications:

- dimensions: 13 x 11 x 8 cm
- weight: 245 g (without batteries)
- ean: 5907489641395
- sku: NL0648



model: **BP-RP**

Specifications:

- dimensions: 13 x 7 x 10 cm
- weight: 177 g (without batteries)
- ean: 5907489640725
- sku: NL0470



model: **C800D**

Specifications:

- dimensions: 13 x 9.8 x 7.5 cm
- weight: 222 g (without batteries)
- ean: 5901891108705
- sku: NL1416



model: **BG-E21**

Specifications:

- dimensions: 14.5 x 11.2 x 8.5 cm
- weight: 250 g (without batteries)
- ean: 5901891108132
- sku: NL0250



model: **NL-E-R**

Specifications:

- dimensions: 13.3 x 6.5 x 1.9 cm
- weight: 95 g
- ean: 5907489640862
- sku: NL1922



model: **BG-E13**

Specifications:

- dimensions: 14,5 x 11,2 x 8,5cm
- weight: 250 g (without batteries)
- ean: 5907489641364
- sku: NL0633



model: **BG-E20**

Specifications:

- dimensions: 15,3 x 8,6 x 4,2 cm
- weight: 250 g (without batteries)
- ean: 5901891105544
- sku: NL0381



model: **NL-BMP-4/6K**

Specifications:

- dimensions: 17 x 8 x 5.2 cm
- weight: 228 g (without batteries)
- ean: 5907489640893
- sku: NL2024



Battery Pack for **Nikon** camera series

model: **MB-D12**

Specifications:

- dimensions: 15 x 8.1 x 5 cm
- weight: 250 g (without batteries)
- ean: 5907489641173
- sku: NL0557



model: **MB-D10**

Specifications:

- dimensions: 15 x 5.2 x 7.5 cm
- weight: 240 g (without batteries)
- ean: 5907489641401
- sku: NL0658





model: **MB-D14**

Specifications:

- dimensions: 14.3 x 5 x 7.8 cm
- weight: 217 g (without batteries)
- ean: 5907489641357
- sku: NL0628



model: **MB-D15**

Specifications:

- dimensions: 13.8 x 5 x 7.6 cm
- weight: 210 g (without batteries)
- ean: 5907489641371
- sku: NL0640



model: **MB-D16**

Specifications:

- dimensions: 14.3 x 5 x 7.6 cm
- weight: 208 g (without batteries)
- ean: 5901891101492
- sku: NL1169



model: **MB-D17**

Specifications:

- dimensions: 15.2 x 5 x 7.8 cm
- weight: 225 g (without batteries)
- ean: 5901891103854
- sku: NL1937



model: **MB-D18**

Specifications:

- dimensions: 15.2 x 5.1 x 7.9 cm
- weight: 224 g (without batteries)
- ean: 5901891108712
- sku: NL1928



model: **MB-D5500**

Specifications:

- dimensions: 12.7 x 8.5 x 10 cm
- weight: 219 g (without batteries)
- ean: 5901891101560
- sku: NL0643



model: **MB-D780**

Specifications:

- dimensions: 14.5 x 7.5 x 10.6 cm
- weight: 202 g (without batteries)
- ean: 5907489643542
- sku: NL2604



model: **BG-D51**

Specifications:

- dimensions: 12,7 x 8,5 x 10 cm
- weight: 212 g (without batteries)
- ean: 5907489641418
- sku: NL0660



model: **MB-N10**

Specifications:

- dimensions: 13.4 x 6.5 x 4.5 cm
- weight: 202 g (without batteries)
- ean: 5907489642316
- sku: NL2385



Battery Pack for
Sony
camera series



model: **VG-A6300**

Specifications:

- dimensions: 13 x 5.7 x 8.8 cm
- weight: 154 g (without batteries)
- ean: 5901891107746
- sku: NL1905



model: **VG-C2EM**

Specifications:

- dimensions: 12.5 x 5.2 x 6 cm
- weight: 175 g (without batteries)
- ean: 5901891103342
- sku: NL1458



model: **VG-C1EM**

Specifications:

- dimensions: 13 x 10.1 x 5.3 cm
- weight: 200 g (without batteries)
- ean: 5901891102888
- sku: NL0875



model: **VG-C4EM**

Specifications:

- dimensions: 12.7 x 5.3 x 6,3 cm
- weight: 229 g (without batteries)
- ean: 5907489640886
- sku: NL2010



model: **VG-C3EM**

Specifications:

- dimensions: 13 x 10.7 x 6 cm
- weight: 232g (without batteries)
- ean: 5901891108743
- sku: NL0195



model: **NL-A7IV / A9II**

Specifications:


- dimensions: 14 x 7 x 1.1 cm
- weight: 175 g
- ean: 5907489640879
- sku: NL1932



model: **GB-X1EMM**

Specifications:

- dimensions: 10.3 x 5.5 x 1.7 cm
- weight: 85 g
- ean: 5907489640329
- sku: NL2108



Chargers

and Accessories



DC-USB for

<p>Specifications:</p> <ul style="list-style-type: none"> power: 5 V, 1 A charging: 8.4 V, 500 mA dimensions: 4.8 x 8.4 x 2.2 cm 	LP-E5 LP-E6 LP-E8 LP-E10 LP-E12 LP-E17 NP-95 NB-13L NP-FP, NP-FH, NP-FV	NP-FW PS-BLS5 NP-F, NP-FM NP-W126 NP-FZ100 BLH-1 BLN-1 CGA-S006E D-LI109	D-LI90 DMW-BLC12 DMW-BLG10 DMW-BMB9E DMW-BLF19E EN-EL15 EN-EL14 EN-EL20 EN-EL3e	EN-EL5 EN-EL9 EN-EL12 EN-EL19 EN-EL23
<p>Specifications:</p> <ul style="list-style-type: none"> power: 5 V, 1 A charging: 4.2 V, 500 mA dimensions: 4.8 x 8.4 x 2.2 cm 	SJ4000 NP-BG1 NP-BN1 NP-BY1 NP-BX1 LI90B/92B			
<p>Specifications:</p> <ul style="list-style-type: none"> power: 5 V, 1 A charging: 4.35 V, 500 mA dimensions: 4.8 x 8.4 x 2.2 cm 	EN-EL23			



SDC-USB two-channel for

<p>Specifications:</p> <ul style="list-style-type: none"> power: 5 V; 2 A charging: 1 x 8.4 V 700 mA / 2x 8.4 V 500 mA dimensions: 8.1 x 6.4 x 2.1 cm 	BLH-1BP-511 DMW-BLC12 DMW-BLF19 DMW-BLG10 EN-EL14 EN-EL15	LP-E10 LP-E17 LP-E6 LP-E8 NP-FW50 NP-FZ100	NP-W126 One X3 PS-BLS5 NP-F550, FM50, FM500H	
<p>Specifications:</p> <ul style="list-style-type: none"> power: 5 V; 2 A charging: 1 x 4.2 V 730 mA / 2x 4.2 V 730 mA dimensions: 8.1 x 6.4 x 2.1 cm 	NB-13L NP-BX1			



SDC-USB two-channel for

<p>Specifications:</p> <ul style="list-style-type: none"> • power: 5 V; 2.1 A • charging: 2 x 4.4 V 750 mA • dimensions: 6 x 4.5 x 2 cm 	<p>AABAT-001 AHDBT-901</p>			
<p>Specifications:</p> <ul style="list-style-type: none"> • power: 5 V; 2 A • charging: 2 x 4.35 V 800 mA • dimensions: 6 x 4.5 x 2 cm 	<p>AHDBT-401</p>			
<p>Specifications:</p> <ul style="list-style-type: none"> • power: 5 V; 2 A • charging: 2 x 4.35 V 750 mA • dimensions: 6 x 4.5 x 2 cm 	<p>AZ16-1</p>			



SDC-USB three-channel for

<p>Specifications:</p> <ul style="list-style-type: none"> • power: 5 V; 2.1 A • charging: 3 x 4.4 V 700 mA • dimensions: 7 x 5.5 x 2.2 cm 	<p>AABAT-001 AHDBT-901</p>			
---	--------------------------------	--	--	--



DL-USB-C for

<p>Specifications:</p> <ul style="list-style-type: none"> power: micro USB / USB-C 5 V; 2.1 A charging: 8.4 V; 1 x 700 mA / 2 x 500 mA dimensions: 9 x 5.5 x 2.2 cm 	<p>AABAT-001 AB1 BLN1 BLX-1 DMW-BLC12 DMW-BLF19</p>	<p>DMW-BLG10 DMW-BLJ31 DMW-BLK22 EN-EL14 EN-EL15 EN-EL25</p>	<p>EN-EL3e LP-E10 LP-E17 LP-E6 LP-E8 NP-F550/770/970</p>	<p>NP-FW50 NP-FZ100 NP-W126 NP-W235 PS-BLS5</p>
<p>Specifications:</p> <ul style="list-style-type: none"> power: micro USB / USB-C 5 V; 2.1 A charging: 4.2 V; 1 x 700 mA / 2 x 700 mA dimensions: 9 x 5.5 x 2.2 cm 	<p>AHDBT-901 NP-BX1</p>			
<p>Specifications:</p> <ul style="list-style-type: none"> power: micro USB / USB-C 5 V; 2.1 A charging: 4.35 V; 1 x 700 mA / 2 x 500 mA dimensions: 9 x 5.5 x 2.2 cm 	<p>EN-EL23</p>			



FDL-USB-C for

<p>Specifications:</p> <ul style="list-style-type: none"> power: USB/USB-C 5 V; 2.1 A charging: 8.4 V; 1 x 1000 mA / 2 x 1000 mA dimensions: 8.5 x 5.3 x 2.5 cm 	<p>EN-EL15 LP-E12 LP-E17 LP-E6 NP-BX1</p>	<p>NP-FW50 NP-FZ100 NP-W126 NP-W235</p>		
---	---	---	--	--



DC-LCD for

Specifications:

- power: AC 100-240 V; 50/60 Hz
DC 12-24 V; 3000 mA (max)
- charging: normal
(L): 1000 mA x 1 / 500 mA x 2
fast (H): 1500 mA x 1 / 800 mA x 2
USB: 2100 mA
- dimensions: 12.5 x 11 x 4.3 cm

EN-EL15
BP-A30/BP-A60
BP-U60
LP-E6
NP-FZ100
NP-F, NP-FM series
NP-FP, NP-FH, NP-FV series

NP-FW series
DMW-BLF19E
NP-T125
VBD-78



Battery Charger Adapter-Plate for DC-LCD

Specifications:

- dimensions: 6.8 x 4.7 x 1.6 cm
- weight: 16 g

LP-E6
NP-FM50
NP-FP50
NP-FW50
NP-FZ100



model: Ultra Fast Type-C for NP-F, NP-FM

Specifications:

- power: DC 5 V; 2.4 A, 9 V; 2 A
- charging: 8.4 V; 1 x 1000 mA,
2 x 600 mA, 8.4 V; 1 x 1500 mA,
2 x 1000 mA
- dimensions: 12.5 x 5.5 x 1.8 cm
- weight: 59 g (without cable)
- ean: 5907489642422
- sku: NL2412



model: Ultra Fast for NP-F, NP-FM

Specifications:

- power: 100 V – 240 V; 50/60 Hz,
15W (max)
- charging: 8.4 V; 1.6 A
- dimensions: 11.7 x 6.3 x 4.8 cm
- weight: 133 g (without cable)
- ean: 5907489640718
- sku: NL0467



model: BP-4CH V-mount

Specifications:

- input: 100-240V, 50/60 Hz
- DC output: 16.5V, 4.5A
- dimensions:
265 x 103 x 223 mm
- weight: 3300 g
- ean: 5907489643894
- sku: NL2749



model: BP-2CH V-Mount

Specifications:

- input: 100-240V, 50/60 Hz
- dimensions: 141 x 100 x 225 mm
- weight: 1150 g (without cable)
- ean: 5901891108996
- sku: NL0841



model:
BP-4CHT V-Mount

Specifications:

- power: 100-240V, 50/60 Hz
- dimensions: 290 x 156.1 x 191.6 mm
- weight: 3280 g
- ean: 5907489646604
- sku: NL3182



model:
DF-4CH NP-F

Specifications:

- input: 12-20V; 3A
- dimensions: 199 x 95 x 33 mm
- weight: 501 g (without cable)
- ean: 5907489646574
- sku: NL3179



model:
Scooter Multi Set

Specifications:

- power: 100-240V, 50/60 Hz
- dimensions: 13 x 5,5 x 3 cm
- ean: 5907489646918
- sku: NL3275



model:
D-Tap 16,8 V 5 A

Specifications:

- power: 100-240V, 50/60 Hz
- dimensions: 59 x 140 x 36 mm
- weight: 343 g (without cable)
- ean: 5907489646642
- sku: NL3229



model:
**Smart C4
Supra batteries**

Specifications:

- power: DC12 V 2 A
- dimensions: 167 x 108 x 41 mm
- weight: 290 g
- ean: 5907489640275
- sku: NL2143



model:
**Smart C8 for
NiMH/Li-Ion batteries**

Specifications:

- input: DC12 V 3 A
- dimensions: 186 x 141 x 35 mm
- weight: 375 g
- ean: 55901891108880
- sku: NL1503



model:
N-YM-UD21 induOne

Specifications:

- 3 devices
- wireless/induction
- dimensions: 136 x 101 x 136 mm
- weight: 155 g (without cable)
- ean: 5907489646697
- sku: NL3232



model:
N-GY-Z5A induOne

Specifications:

- 3 devices
- wireless/induction
- dimensions: 136 x 101 x 136 mm
- weight: 196 g (without cable)
- ean: 5907489646703
- sku: NL3233



model:
N-YM-UD17 induOne

Specifications:

- 4 devices
- wireless/induction
- dimensions: 175 x 135 x 100 mm
- weight: 259 g (without cable)
- ean: 5907489646680
- sku: NL3231



model:
BC-18B

Specifications:

- power: AC 100V – 240V, 50/60 Hz
- dimensions: 160 x 66 x 31 mm
- weight: 225 g
- ean: 5907489643559
- sku: NL2605



Xtra Power Sets batteries & chargers



Xtra Power Set with one battery

Available models:


- | | |
|-----------|----------|
| AABAT-001 | LP-E6N |
| EN-EL14 | NP-BX1 |
| EN-EL15 | NP-F570 |
| EN-EL15b | NP-F770 |
| LP-E12 | NP-FW50 |
| LP-E17 | NP-FZ100 |
| LP-E6 | SPJB1B |



Xtra Power Set with two batteries

Available models:

- | | |
|-----------|----------|
| AABAT-001 | NP-BX1 |
| EN-EL14 | NP-F570 |
| EN-EL15 | NP-F770 |
| EN-EL15b | NP-FW50 |
| LP-E12 | NP-FZ100 |
| LP-E17 | SPJB1B |
| LP-E6 | SJ4000 |
| LP-E6N | |



LED Lights and Lamps



model:
Air 1100 LED Light

Specifications:

- CRI: > 95
- lux: 1100 (1 m)
- maximum power: 40 W
- color temperature: 3200/5600 K
- power supply: NP-F battery or DC 15 V
- dimensions: 376 x 266 x 25 mm
- weight: 1170 g (without batteries)
- ean: 5901891108040
- sku: NL1977



model:
AIR 650i LED Light

Specifications:

- CRI: > 95
- lux: 650 (1 m)
- maximum power: 19,5 W
- color temperature: 3200/5600 K (adjustable)
- power supply: built-in polymer battery 2 x 4000 mAh 3.7 V
- dimensions: 268 x 26 x 188 mm
- Weight: 580 g
- ean: 5907489640060
- sku: NL2153



model:
LED 320 Light

Specifications:


- lux: 1150 (1 m)
- maximum power: 28 W
- the output voltage of the USB port: DC 5 V, A 2.1
- dimensions: 17,5 x 12,5 x 2 cm
- weight: 215 g (260 g mounting)
- ean: 5901891103366
- sku: NL1252



model:
RGB Vividha Max LED Light

Specifications:

- CRI: > 95
- LEDs: 216 x RGBWW (0,5 W)
- maximum power: 40 W
- lux: 1200 (1 m)
- color temperature range: 2500 / 8500 K (with built-in adjustment)
- ean: 5907489643504
- sku: NL2600



model:
Air Artha LED Light

Specifications:


- CRI ratio: >95
- lux: 1000 (1 m)
- maximum power: 35 W
- color temperature: 3200/5600 K
- power supply: NP-F series battery or 15V DC adapter
- dimensions: 407 x 407 x 10 mm
- weight: 1637 g (without batteries)
- ean: 5907489640794
- sku: NL1082



model:
Air Artha XL LED Light

Specifications:

- CRI: > 95
- maximum power: 70 watts
- LEDs: 180 x 5600 K, 180 x 3200 K
- maximum light intensity:
 - 1800 lux (at 1 m)
- colour temperature range: 3200/5600 K (with built-in adjustment)
- ean: 5907489643498
- sku: NL2599



model:
RL-18A-WB LED Ring Light (3200-5500K)

Specifications:

- maximum wattage: 40 watts
- LEDs: 128 x 3200 K, 128 x 5600 K
- maximum light intensity: 900 lux (at 0.5 m)
- power supply: DC 15 V
- USB outputs: 2 (5V, 2.4A)
- ean: 5907489643474
- sku: NL2597



model:
Beauty Dish Newell RF-405

Specifications:

- color: silver
- mounting: Bowens
- diameter: 405 mm
- dimensions: Ø40.5 x 13.5 cm
- weight: 505 g
- ean: 5907489646444
- sku: NL3056



model:
Diffuser Newell DF-405 for Beauty Dish RF-405

Specifications:


- diameter: Ø40.5 cm
- weight: 19 g
- ean: 5907489646451
- sku: NL3057



model:
RGB-W Rangha LED Light

Specifications:

- color temperature: 2500 - 9900 K
- CRI: >96
- Luminous flux: 1200 LUX
- maximum power: 12 W
- battery: polymer 3.7 V 4000 mAh
- 21 ready-made programs
- dimensions: 151 x 80 x 11.5 mm
- weight: 200 g
- ean: 5907489642354
- sku: NL2399



model:
RGB-W Rangha Max LED Light

Specifications:

- color temperature: 2500 - 9900 K
- CRI: >96
- Luminous flux: 1650 LUX
- maximum power: 18.5 W
- battery: polymer 3.7 V 10000 mAh
- 21 ready-made programs
- dimensions: 200 x 121 x 13.7 mm
- weight: 508 g
- ean: 5907489644945
- sku: NL2965



model:
LED RGB-W Rangha Max XL

Specifications:

- color temperature: 2500K - 9900K
- brightness: max. 2000 lm (100% 9900K), 2600 lm (100% 2500K)
- output power: 38 W
- battery capacity: 14,8 V 2500 mAh
- dimensions: 28 x 18 x 1,5 cm
- weight: 1008 g
- ean: 5907489647786
- sku: NL3608



model:
RGB-W Rangha Nano LED Light

Specifications:

- color temperature: 3000 – 6500 K
- CRI: >90
- brightness: max. 300 lm
- output power: 3 W
- dimensions: 68 x 80 x 35 mm
- weight: 78 g
- ean: 5907489643955
- sku: NL2781



model:
RGB-W Rangha Nano Sunset LED Light

Specifications:

- color temperature: 2500 - 9000 K
- CRI: >95
- Luminous flux: 800 LUX
- maximum power: 6 W
- battery: 2000 mAh
- dimensions: 8,5 x 7 x 3,2 cm
- weight: 110 g
- ean: 5907489646512
- sku: NL3173



model:
LED RGB Kathi

Arctic White/Black

Specifications:

- color temperature: 3000 – 6000 K
- brightness: max. 1200 lm
- output power: 10 W
- battery capacity: 2200 mAh
- dimensions: Ø 32 x 550 mm
- weight: 292 g
- ean: 5907489643962
- sku: NL2782



model:
LED RGB Kathi Pro

Arctic White/Black

Specifications:

- color temperature: 2700 – 6500 K
- brightness: max. 640 lux
- output power: 12 W
- battery capacity: 2600 mAh
- dimensions: 640 x 36 x 35 mm
- weight: 570 g
- ean: 5907489642170
- sku: NL3152



model:
Kathi Max

Specifications:

- color temperature: 2500K - 9900K
- brightness: max. 2000 lm (100% 9900K), 2600 lm (100% 2500K)
- output power: 38 W
- battery capacity: 14,8 V 2500 mAh
- dimensions: 1205 x 38 mm
- weight: 833 g
- ean: 5907489647779
- sku: NL3607



model:
LED RGB Kathi Nano

Specifications:

- color temperature: 2500K - 9000K
- brightness: max. 800 lux
- output power: 7 W
- battery capacity: 3000 mAh
- ean: 5907489647755
- sku: NL3605



model:
LED RGB Kathi II

Specifications:

- color temperature: 2500K - 9000K
- brightness: max. 708 lux
- output power: 8 W
- battery capacity: 2600 mAh
- ean: 5907489647762
- sku: NL3606



model:
LED RGB Pravaha

Specifications:

- CCT-TCLI: > 95
- color temperature: 2800 – 10000 K
- brightness: max. 6820 lux (1m)
- maximum power (RGB): 35 W x3
- dimensions: 174 x 123 x 202 mm
- weight: 1.2 kg
- ean: 5907489643979
- sku: NL2783



model:
Barndoor Newell BD-200

Specifications:

- dimensions (folded): 19 x 19 cm
- dimensions (unfolded): 40 x 40 cm
- filter dimensions: 18 x 18 cm
- weight: 507 g
- ean: 5907489646437
- sku: NL3055



model:
Scatto Parabolic Softbox

Specifications:

- diffusion: max – 2.1 EV
- diameter (when unfolded): Ø90 cm
- depth (when unfolded): 65 cm
- dimensions (folded): 75 x 22 cm
- weight: 2.07 kg
- ean: 5907489646468
- sku: NL3058



model:
Sparkle LED light kit for product photography

Specifications:

- CRI: 92+
- color temperature: 3200 K – 5600 K
- max luminous flux: 1650 lx
- max power: 48 W
- dimensions: 19 x 26 cm
- weight: 460 g
- ean: 5907489646420
- sku: NL3054

Stand:

- minimum height: 80 cm
- maximum height: 190 cm
- length when folded: 67 cm
- section diameter: 22 / 19 / 16 mm
- weight: 597 g



model:
M40 II shadowless tent

Specifications:

- power: 24 W
- lighting intensity: max. 8000 lux
- colour temperature: 5500 K (± 200 K)
- CRI: 92+
- number of LEDs: 2 x 32
- dimensions: 44 x 44 x 44 cm (unfolded)
- weight: about 2.6 kg
- ean: 5907489644044
- sku: NL2803



model:
M80 II shadowless tent

Specifications:

- power: 80 W
- lighting intensity: max 15000 lux
- color temperature: 5500 K (± 200 K)
- CRI: 92+
- number of LEDs: 2 x 78 pcs
- dimensions: 84 x 84 x 84 cm (after unfolding)
- weight: about 5.2 kg
- ean: 5907489644037
- sku: NL2802



Powerbanks and Power Stations



model:
Power Bank GP12

Specifications:

- capacity: 24000 mAh / 3.7 V / 88.8 Wh
- input:
DC: 12-24 V / 2 A (max.);
USB-C: 5 V / 3 A, 9 V / 3 A, 12 V / 3 A, 15 V / 3 A, 20 V / 3 A
- output:
USB-A: 5 V / 4.5 A, 4.5 V / 5 A, 9 V / 2 A, 12 V / 1.5;
USB-C 1: 5 V / 3 A, 9 V / 3 A, 12 V / 3 A, 15 V / 3 A, 20 V / 3 A;
USB-C 2: 5 V / 3 A, 9 V / 2 A, 12 V / 2.25 A (PPS: 3.3 – 11 V / 3A);
DC for laptop: 12 V / 4 A, 16.5 V / 4 A, 20 V / 4 A, 24 V / 3.5 A;
wireless charging: 10 W (MAX)

- Dimensions: 122 x 122 x 28 mm
- Weight: 500 g
- ean: 5907489643757
- sku: NL2680



model:
Power Station Asvala

Specifications:

- Capacity: 41600 mAh / 154 Wh
- Input: DC 12-30 V (max 40 W)
- Outputs:
AC: 220 – 240 V / 50 Hz (max 200 W)
USB-C (Power Delivery): 45 W
USB 1: 5V / 2.4 A
USB 2: 5V / 2.4 A
Wireless charging: 10 W (MAX)

- Dimensions: 232.5 x 90 x 90 mm
- Weight: 1.8 kg
- ean: 5907489644846
- sku: NL2955





model: **Power Station Argus 600**

Specifications:

- capacity: 461 Wh (20.8 Ah / 22.2 V)
- rated power: 600 W
- rating voltage: 220 V
- Dimensions: 292.5 x 164.5 x 230.4 mm
- weight: 5.5 kg
- ean: 5907489647618
- sku: NL3570



model: **Power Station Samra 500**

Specifications:

- capacity: 532 Wh (36 Ah, 14.8 V)
- rated power: 500 W
- rating voltage: 220 V
- dimensions: 180 x 210 x 250 mm
- weight: 5.28 kg
- ean: 5907489647656
- sku: NL3575



model: **Power Station Argus 1200**

Specifications:

- capacity: 1132 Wh (51 Ah, 22.2 V)
- rated power: 1200 W
- rating voltage: 230 V
- ean: 5907489647595
- sku: NL3568



model: **Power Station Argus 2200**

Specifications:

- capacity: 2131 Wh (96 Ah, 22.2 V)
- rated power: 2200 W
- Rating voltage: 230 V
- ean: 5907489647663
- sku: NL3574



model: **Power Station Pearl**

Specifications:

- capacity: 283 Wh (14.76 V, 19.2 Ah)
- rated power: 300W
- rating voltage: 230V
- dimensions: 26.5 x 17 x 12.5 cm
- weight: 2450 g
- ean: 5907489646987
- sku: NL3340



model: **Power Bank PB-LPE6 with battery adapter for Canon**

Specifications:

- capacity: 3900 mAh; 28 Wh
- voltage: 7,2 V
- ean: 5901891101102
- sku: NL0370



model: **Power Bank PB-FW50 with battery adapter for Sony**

Specifications:

- capacity: 3900 mAh; 28 Wh
- voltage: 7,2 V
- ean: 5901891101140
- sku: NL0613



model: **Power Bank PB-FW100 with battery adapter for Sony**

Specifications:

- capacity: 3900 mAh/28 Wh
- voltage: 7,2 V
- ean: 5907489640411
- sku: NL2242



model: **Jump Starter CarMate**

Specifications:

- Built-in battery capacity: 12000 mAh
- starting current value: 1000 A
- peak current value: 2000 A
- Compatibility: 12 V gasoline engines up to 7.0 L, Diesel 12 V up to 5 L
- dimensions: 163 x 88.5 x 28 mm
- weight: 445 g
- ean: 5907489647267
- sku: NL3378



AC Adapters



model: **AC Adapter for Air 1100**

Specifications:

- power supply: 100-240 V; 50/60 Hz; 1.5 A max
- output current: 15 V / 3 A
- ean: 5907489646352
- sku: NL3050



model: **AC Adapter for Artha**

Specifications:

- power supply: 100-240 V; 50/60 Hz; 1.6 A max
- output current: 15 V / 3 A
- ean: 5907489646369
- sku: NL3051



model: **AC Adapter for Artha XL**

Specifications:

- power supply: 100-240 V; 50/60 Hz; 1.6 A max
- output current: 15 V / 4.8 A
- ean: 5907489646376
- sku: NL3052



model: **AC Adapter for Vividha Max**

Specifications:

- power supply: 100-240 V; 50/60 Hz; 1.5 A max
- output current: 15 V / 3 A
- ean: 5907489646383
- sku: NL3053



model: **AC Adapter MYX-1202000EU for Yongnuo**

Specifications:

- Power supply: 100-240 V; 50/60 Hz; 0,6 A max
- output current: 12 V / 2 A
- ean: 5907489643726
- sku: NL2677



model: **AC Adapter MYX-1205000D for Yongnuo**

Specifications:

- power supply: 100-240 V; 50/60 Hz; 1,5 A max
- output current: 12 V; 5 A; 60 W
- ean: 5907489643733
- sku: NL2678



model: **AC Adapter MYX-1905000 for Yongnuo**

Specifications:

- power supply: 100-240 V; 50/60 Hz; 3,0 A max
- output current: 19 V / 5 A
- ean: 5907489643740
- sku: NL2679



model: **D-Tap power cable for Pravaha**

Specifications:

- average load capacity: 3.2A* 300V= 960W
- max load capacity: 3.7A* 300V= 1110W
- max voltage: 300V
- max. operating temperature: 80°C
- ean: 5907489646864
- sku: NL3259



model: **AC Adapter MYX-1905000 for Yongnuo**

Specifications:

- power supply: 100-240 V; 50/60 Hz; 3,0 A max
- output current: 19 V / 5 A
- ean: 5907489643740
- sku: NL2679

Remote Control Series



model:
Remote RS3 Series

Specifications:

- size: 8 x 2 x 15 cm
- cable length: 1 m

Available models:

- RS3-C1 for Canon
- RS3-C3 for Canon
- RS3-F1 for Fuji
- RS3-N1 for Nikon
- RS3-N2 for Nikon
- RS3-N3 for Nikon
- RS3-O1 for Olympus
- RS3-P1 for Panasonic
- RS3-S2 for Sony



model:
Timer Remotes

Specifications:

- power supply: 2 x AAA 1.5 V LR03 (not supplied)
- Dimensions: 15,5 cm x 4 cm x 1,8 cm
- Cable length: 94 cm
- weight: 84 g (without batteries)

Available models:

- MC-30 for Nikon
- MC-DC2 for Nikon
- RS60-E3 for Canon
- RS-80N3 for Canon



model:
Wireless Remote Control

Specifications:

- power supply: 4 x AAA batteries
- Dimensions:
remote control: 44 x 136 x 17 cm
receiver: 38 x 71 x 25 cm
- Weight:
remote control: 45 g
receiver: 30 g

Available models:

- for Nikon
- for Canon
- for Sony

Modified sine wave inverters



model: **Modified sine wave inverter 300W**

Specifications:

- rated input voltage: 220 / 230 / 240 V AC
- power (constant): 300 W
- instantaneous power (impulse): 600 W
- output frequency: 50 / 60 Hz
- operating efficiency: 88% (at 100% load)
- rated input voltage: 12 V DC
- dimensions: 23 x 14,5 x 6 cm
- weight: 845 g
- ean: 5907489647274
- sku: NL3379



model: **Modified sine wave inverter 500W**

Specifications:

- rated input voltage: 220 / 230 / 240 V AC
- power (constant): 500 W
- instantaneous power (impulse): 1000 W
- output frequency: 50 / 60 Hz
- operating efficiency: 88% (at 100% load)
- rated input voltage: 12 V DC
- dimensions: 23 x 14,5 x 6 cm
- weight: 970 g
- ean: 5907489647281
- sku: NL3380



model: **Modified sine wave inverter 1000W**

Specifications:

- rated input voltage: 220 / 230 / 240 V AC
- power (constant): 1000 W
- instantaneous power (impulse): 2000 W
- output frequency: 50 / 60 Hz
- operating efficiency: 88% (at 100% load)
- rated input voltage: 24 V DC
- dimensions: 31 x 19 x 12.5 cm
- weight: 1785 g
- ean: 5907489647298
- sku: NL3381





Newell® **EVERYWHERE YOU GO**
EVERYTIME YOU NEED

Contact:

sales@newell.pro

Address:

Fdirect sp. z o.o.

Rabienska 18

94-227 Lodz, Poland

www.newell.pro